




**TECHPROWASH**

**STOP THE SPREADING  
GERMS OF COVID-19**



**ELIMINATE THE  
BACTERIA & VIRUSES  
WITH YOUR NEW  
MATE TECHPROWASH**



## **Techprowash Phenolic Disinfectant**

**Used for General Cleaning, Disinfectant for Drains, Sinks, Toilets, Public utility in Hospitals Schools, Hotels**

Packing - 5 Ltrs / 5.25Kgs

Ctn. - 5 Ltr x 4 Cans

Cans per 20 Ft Container - 2840 (Apx.)



## **Techprowash Antiseptic Disinfectant (For COVID-19)**

**Used for medical, personal hygiene, household laundry use, disinfectant for floors, hard surfaces and bathrooms.**

Packing - 5 Ltrs / 5.25Kgs

Ctn. - 5 Ltr x 4 Cans

Cans per 20 Ft Container - 2840 (Apx.)



## **Techprowash Interpine Disinfectant**

**Used for Floors, Drains, Toilets Public Utility Areas**

Packing - 5 Ltrs / 5.25Kgs

Ctn. - 5 Ltr x 4 Cans

Cans per 20 Ft Container - 2840 (Apx.)



## Techprowash Phenolic Disinfectant

Used for General Cleaning, Disinfectant for Drains, Sinks, Toilets, Public utility in Hospitals Schools, Hotels

Packing - 25 Ltrs / 25.75Kgs  
Unit Per Pallet - 32 Cans  
(1x20 Container - 10 Pallets)  
Cans per Container - 320

## Techprowash Antiseptic Disinfectant (For COVID-19)

Used for medical, personal hygiene, household laundry use, disinfectant for floors, hard surfaces and bathrooms.

Packing - 25 Ltrs / 25.75Kgs  
Unit Per Pallet - 32 Cans  
(1x20 Container - 10 Pallets)  
Cans per Container - 320



## Techprowash Interpine Disinfectant

Used for Floors, Drains, Toilets  
Public Utility Areas

Packing - 25 Ltrs / 25.75Kgs  
Unit Per Pallet - 32 Cans  
(1x20 Container - 10 Pallets)  
Cans per Container - 320





Easy to Handle



## Disinfectant Spraying Machine

### **SPECIFICATIONS**

Current consumption 3,5 Amps  
Specified voltage 230 AC  
Frequency 50 Hz  
Power connector size L-N-PE  
(Schucko) (type F)  
Control panel Buttons  
Dry weight 2,9 kg  
Length 330 mm  
Width 205 mm  
Height 360 mm  
Throw (up to) 5-10 m  
Water tank capacity 3,8 L  
Water flow 11 - 16 L/HOUR  
Water connection Thread 3/4" BSP  
Required in pressure 1 - 3 bar  
Operating temp. +1°C to +40°C



### Total Stop System (TSS)

A two wheel trolley mounted unit with detergent tank and handle. Triplex pump with ceramic plungers, connecting rod system. Automatic by-pass valve. Pressure adjustment. Pressure gauge. Built-in detergent suction w/adjustment. Induction motor w/thermal protector. Brass pump head.

Pressure adjustment

Practical accessories holders

Nozzles range for different use

Built-in hose reel

Rubber tread wheels

Steel frame











Built-in detergent tank

# MPX 150 HDC

HIGH PRESSURE WASHER

Code: 24005

EAN Code: 8016287240055

-  Max Pressure: 150 bar
-  Water Flow rate: 630 l/h
-  Power Max: 3000 w
-  Phase/Voltage/Frequency: 1~230V/50Hz
-  Inlet Water Temperature: 60°
-  Box dimensions: 72,5x49x77 cm
-  Weight: 38 Kg (gross)
-  Pcs/Euro Pallet: 4
-  Pcs/Full truck load: 132
-  Pcs/Container: 60 (20ft)  
Pcs/Container: 120 (40ft)

### STANDARD EQUIPMENT

- Gun
- Lance
- Steel harmed H.P.Hose 15 m
- Built-in detergent tank



### ALSO AVAILABLE

- Cod. 24362 model without hose reel

### STANDARD EQUIPMENT

- Gun
- Lance
- Steel harmed H.P.Hose 10 m
- Built-in detergent tank





## Economy Procedure Ear-Loop Mask

- 3 ply material
- Soft rounded earloops
- Latex-Free, Economical
- No inside foam nosepiece
- Available in blue only

**Item No.**    **Color**    **Packaging**  
**MK-1246**    Blue    50/box; 10 boxes/case

*\*Other earloop masks available in different colors and packaging options.*



## Tie-On Mask

- Foam inside nosepiece
- 3 ply material
- Adjustable nosepiece
- Latex-Free
- Available in blue only

**Item No.**    **Size**    **Color**  
**MK-1076**    Regular    Blue

**Packaging:** 50/box; 10 boxes/case



## Professional Latex Exam Gloves

- Soft, strong, low modulus glove
- Low protein with minimal powder
- Color coded boxes for sizing
- Popular in all markets

**Item No.**    **Size**  
**LG-1102**    Extra Small (6)  
**LG-1103**    Small (6-1/2)  
**LG-1104**    Medium (7-1/2)  
**LG-1105**    Large (8-1/2)

**Packaging:** 100/box; 10 boxes/case



## Latex Powder-Free Exam Gloves

- Thin for extra tactile sensitivity
- Micro-texture finish
- White color
- Silicone coated - Easy on/Easy off

**Item No.**    **Size**  
**LG-2102**    Extra Small  
**LG-2103**    Small  
**LG-2104**    Medium  
**LG-2105**    Large  
**LG-2106**    Extra Large

**Packaging:** 100/box; 10 boxes/case



## Nitrile Powder-Free Textured Exam Gloves

- Highly puncture resistant
- Great tactile strength and dexterity
- The best alternative for latex sensitive individuals
- Blue color

**Item No.**    **Size**  
**NG-2003**    Small  
**NG-2004**    Medium  
**NG-2005**    Large  
**NG-2006**    Extra Large

**Packaging:** 100/box; 10 boxes/case



## Vinyl Exam Gloves

- High-quality stretch vinyl
- Extra soft feel
- Low powder
- Tear resistant

**Item No.**    **Size**  
**VG-3003**    Small  
**VG-3004**    Medium  
**VG-3005**    Large  
**VG-3006**    Extra Large

**Packaging:** 100/box; 10 boxes/case



## Vinyl Powder-Free Exam Gloves

- High-quality stretch vinyl
- Tear resistant
- Perfect alternative for those allergic to latex or powder
- Extra soft feel

**Item No.**    **Size**  
**VG-4003**    Small  
**VG-4004**    Medium  
**VG-4005**    Large  
**VG-4006**    X-Large

**Packaging:** 100/box; 10 boxes/case



## Blackjack Powder-Free Textured Latex Exam Gloves

- Textured finish for enhanced grip
- Black color
- Silicone coated - Easy on / Easy off
- Great for tattoo, auto and beauty businesses

**Item No.**    **Size**  
**LG-8002**    X-Small  
**LG-8003**    Small  
**LG-8004**    Medium  
**LG-8005**    Large  
**LG-8006**    X-Large

**Packaging:** 100/box; 10 boxes/case





**TECHPROWASH**

**Address**

**Office no. 2117, Park Lane Tower - Al A'amal St -  
Dubai - United Arab Emirates**

**Email: [sales2@katalystincorporation.com](mailto:sales2@katalystincorporation.com)**

**Phone: +971- (4) 5141680**